ELSEVIER

International Journal of Mass Spectrometry 216 (2002) 301

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 216

Appelhans, A.D., 269

Beegle, L.W., 257
Berglund, M., 203
Brito-Neto, J.G.A., 95

Carella, A.J., 209
Castleman Jr., A.W., 75

Dahl, D.A., 269
Dance, I.G., 155
Daniel, J.M., 1
Darrington, R.T., 209
do Lago, C.L., 95
Duckworth, D.C., 85

Fields, R.E., 41
Fischer, I., 131
Fisher, K.J., 155
Friess, S.D., 1
Fujii, T., 169
Furuya, A., 29

Gerhardt, P., 59
Gibson, J.K., 185
Gilb, S., 59
Goeringer, D.E., 85
Gong, Q., 249
Grandinetti, F., 285

Halicz, L., 177
Hang, W., 41
Hill Jr., H.H., 257

Iwase, K., 169

Jackson, G.P., 85
Jiang, H., 249
Jiao, J., 209
Joshipura, K.N., 239

Kanik, I., 257
Kappes, M.M., 59
Kessel, R., 203
King, F.L., 85

Limbachiya, C.G., 239
Liu, T., 249

Ma, R., 249
Majidi, V., 41
Matz, L., 257
McDaniel, D.K., 41
Misaizu, F., 29

Niedzielski, J., 115

Ohno, K., 29
Ohshimo, K., 29

Pezler, B., 115
Platzner, I.T., 177

Rajagopalan, S., 1
Ramebäck, H., 203
Ren, H., 249
Rios, E., 41

Segal, I., 177
Selvin, P. Christopher, 169
Stairs, J.R., 75
Steeno, G.S., 209
Stone, J.A., 219
Su, T., 115, 219

Tsunoyama, H., 29
Turulski, J., 115

Vinciguerra, V., 285
Vukomanovic, D., 219

Wayne, D.M., 41
Weis, P., 59
Wellum, R., 203
Wendt, S., 1
Woenckhaus, J., 129
Wu, C., 249

Yang, H., 249
Yi, M.N., 155

Zenobi, R., 1

PII S1387-3806(02)00648-6

ELSEVIER

International Journal of Mass Spectrometry 216 (2002) 303–306

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 216

Actinides
Gas-phase activation of silane, disilane and germane by actinide ions: and collision induced dissociation of metal oxide ions in TOF-MS, 185
Alcohols
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155
Alkoxides
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155
Angular distribution
Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249
Anions
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155
Atomic weight
Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177
Azithromycin
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

Binding constants
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1
Bond strength
Collision-induced dissociation of lanthanide oxide ions in quadrupole ion traps: effects of bond strength and mass, 85

CAD
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
Chemometrics
Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95
Clusters
Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75
Cobalt oxide
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155
Collision induced dissociation
Gas-phase activation of silane, disilane and germane by actinide ions: and collision induced dissociation of metal oxide ions in TOF-MS, 185
Collision-induced dissociation
Collision-induced dissociation of lanthanide oxide ions in quadrupole ion traps: effects of bond strength and mass, 85
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155
Complexes
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
Cross-section calculation
Theoretical total ionization cross-sections for electron impact on atomic and molecular halogens, 239

Deconvolution
Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95
Delayed ionization
Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75
DFT
Adducts of NF_2^+ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285
Diffusion
Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203
Disilane
Gas-phase activation of silane, disilane and germane by actinide ions: and collision induced dissociation of metal oxide ions in TOF-MS, 185
DMSO
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
Drift tubes
Effects of drift-gas polarizability on glycine peptides in ion mobility spectrometry, 257

PII S1387-3806(02)00649-8

Dysprosium
Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177

Electron impact ionization
Theoretical total ionization cross-sections for electron impact on atomic and molecular halogens, 239
Electrospray
Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95
ESI
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
Experimental design
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

FAB
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1
Field ionization
Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249
Fourier transform ion cyclotron resonance–mass spectrometry
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Germane
Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185
G2MS theory
Adducts of NF_2^+ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285

Halogen atoms and molecules
Theoretical total ionization cross-sections for electron impact on atomic and molecular halogens, 239
High-resolution photoelectron-spectroscopy
High-resolution photoelectron-spectroscopy of radicals, 131

Intense femtosecond laser
Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249
Intracluster reaction
Photoionization mass spectroscopy of clusters of alkali metal atoms with methyl vinyl ketone and acrolein: intracluster oligomerization initiated by electron transfer from a metal atom, 29
Ion attachment
Mass spectrometric analysis of a N_2/H_2 microwave discharge plasma, 169
Ion injection
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
Ion mobility
Effects of drift-gas polarizability on glycine peptides in ion mobility spectrometry, 257
Ion mobility cell
A time-of-flight, drift cell, quadrupole apparatus for ion mobility measurements, 59
Ion mobility measurements
A time-of-flight, drift cell, quadrupole apparatus for ion mobility measurements, 59
Ion spectroscopy
Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249
Ionization energies
High-resolution photoelectron-spectroscopy of radicals, 131
Isotope fractionation
Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203
Isotope pattern
Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95
Isotope ratio determination
Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177
Isotope separators
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Isotopic abundance
Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177
Isotopic ratio
Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95

Lanthanide oxide ions
Collision-induced dissociation of lanthanide oxide ions in quadrupole ion traps: effects of bond strength and mass, 85
Laser ablation
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Magnesium
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
MALDI
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1
Mass spectrometry
Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203
Metal clusters
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41

Met-Cars
Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75
Methyl loss
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
Microwave discharge
Mass spectrometric analysis of a N_2/H_2 microwave discharge plasma, 169
Modelling
Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203
Multiple collection ICP-MS
Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177

NF_2^+ cation
Adducts of NF_2^+ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285
N_2H_2
Mass spectrometric analysis of a N_2/H_2 microwave discharge plasma, 169
Nitrogen trifluoride
Adducts of NF_2^+ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285
Noncovalent complex
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1

Oligomerization
Photoionization mass spectroscopy of clusters of alkali metal atoms with methyl vinyl ketone and acrolein: intracluster oligomerization initiated by electron transfer from a metal atom, 29
Optimization
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

Photoelectron spectroscopy
Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249
Photoionization
Photoionization mass spectroscopy of clusters of alkali metal atoms with methyl vinyl ketone and acrolein: intracluster oligomerization initiated by electron transfer from a metal atom, 29
Plasma
Mass spectrometric analysis of a N_2/H_2 microwave discharge plasma, 169
Polarization
Effects of drift-gas polarizability on glycine peptides in ion mobility spectrometry, 257
Product analysis
Mass spectrometric analysis of a N_2/H_2 microwave discharge plasma, 169

Quadrupole ion trap
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
Quantitative analysis
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

Radicals
High-resolution photoelectron-spectroscopy of radicals, 131
Reactions
The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155
Reactive intermediates
High-resolution photoelectron-spectroscopy of radicals, 131

Saha–Langmuir equation
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Secondary ion mass spectrometry (SIMS)
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
Silane
Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185
SIMION
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
Simulation
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
Soft ionization
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1

Thermal ionization cavity
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Thermal ionization efficiency
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Thermal ionization mass spectrometry
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Thermionic emission
Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75

Thorium
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Time-of-flight mass spectrometer
A time-of-flight, drift cell, quadrupole apparatus for ion mobility measurements, 59
TOFMS
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
Triple quadrupole MS
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

Uranium
Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203

ZEKE-spectroscopy
High-resolution photoelectron-spectroscopy of radicals, 131